

FORM PTO-1390 (Modified)  
(REV 11-2000)

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTORNEY'S DOCKET NUMBER

## TRANSMITTAL LETTER TO THE UNITED STATES

14621

DESIGNATED/ELECTED OFFICE (DO/EO/US)

U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR 1.5)

CONCERNING A FILING UNDER 35 U.S.C. 371

09/856133

INTERNATIONAL APPLICATION NO.  
PCT/AU99/01016 ✓INTERNATIONAL FILING DATE  
17 November 1999 (17-11-99) ✓PRIORITY DATE CLAIMED  
17 November 1998 (17-11-98) ✓

## TITLE OF INVENTION

BREAKFAST CEREAL BISCUIT COMPRISING WAXY GRAIN ✓

## APPLICANT(S) FOR DO/EO/US

Deborah Ann Lewis, David Adrian Lewis, and Victor Marcus Lewis ✓

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☐ This is an express request to begin national examination procedures (35 U.S.C. 371(f)). The submission must include items (5), (6), (9) and (24) indicated below.
4. ☒ The US has been elected by the expiration of 19 months from the priority date (Article 31).
5. ☒ A copy of the International Application as filed (35 U.S.C. 371 (c) (2))
  - a. ☐ is attached hereto (required only if not communicated by the International Bureau).
  - b. ☒ has been communicated by the International Bureau.
  - c. ☐ is not required, as the application was filed in the United States Receiving Office (RO/US).
6. ☐ An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)).
  - a. ☐ is attached hereto.
  - b. ☐ has been previously submitted under 35 U.S.C. 154(d)(4).
7. ☒ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371 (c)(3))
  - a. ☐ are attached hereto (required only if not communicated by the International Bureau).
  - b. ☐ have been communicated by the International Bureau.
  - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
  - d. ☒ have not been made and will not be made.
8. ☐ An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
9. ☐ An oath or declaration of the inventor(s) (35 U.S.C. 371 (c)(4)).
10. ☐ An English language translation of the annexes of the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371 (c)(5)).
11. ☒ A copy of the International Preliminary Examination Report (PCT/IPEA/409).
12. ☒ A copy of the International Search Report (PCT/ISA/210).

## Items 13 to 20 below concern document(s) or information included:

13. ☐ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
14. ☐ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
15. ☒ A **FIRST** preliminary amendment.
16. ☐ A **SECOND** or **SUBSEQUENT** preliminary amendment.
17. ☐ A substitute specification.
18. ☐ A change of power of attorney and/or address letter.
19. ☐ A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821 - 1.825.
20. ☐ A second copy of the published international application under 35 U.S.C. 154(d)(4).
21. ☐ A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4).
22. ☒ Certificate of Mailing by Express Mail
23. ☒ Other items or information:

Courtesy copy of International Application

One (1) sheet of drawing

Assignee: BYRON AUSTRALIA PTY. LTD. of Rushcutters Bay, NSW 2011 Australia

"Small entity status is entitled to be asserted in respect to the attached patent application"



## PATENTS

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE****Applicant(s):** Deborah A. Lewis, et al.**Examiner:** Unassigned**Serial No:** To be assigned**Art Unit:** Unassigned**Filed:** Herewith**Docket:** 14621**For:** BREAKFAST CEREAL BISCUIT  
COMPRISING WAXY GRAIN**Dated:** May 17, 2001Assistant Commissioner for Patents  
Washington, D.C. 20231**PRELIMINARY AMENDMENT**

Sir:

In connection with the filing of the above-identified application, kindly enter the following preliminary amendments.

**In the claims:**

Please amend claims 3, 4, 6-9, 14, 16-19 and 22 as follows:

3. (Amended) A breakfast cereal biscuit as claimed in claim 1 which additionally comprises any one or more of other grain or grain products, nuts, fruits, fruit juice, nutritional supplements, flavours, colours, salt, sweeteners and/or stabilizers.
4. (Amended) A breakfast cereal biscuit as claimed in claim 1 wherein said waxy grain is selected from the group consisting of barley, corn, wheat, rice and sorghum.

---

**CERTIFICATE OF MAILING BY "EXPRESS MAIL"**

"Express Mail" Mailing Label Number: EL823707575US

Date of Deposit: May 17, 2001

I hereby certify that this correspondence is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. §1.10 on the date indicated above and is addressed to the Assistant Commissioner of Patents and Trademarks, Washington, D.C. 20231.

Dated: May 17, 2001

  
Mishelle Mustafa

6. (Amended) A breakfast cereal biscuit as claimed claim 4 wherein said waxy grain comprises at least 50% by weight of total grain content.
7. (Amended) A breakfast cereal biscuit as claimed in claim 4 wherein said waxy grain comprises at least 90% by weight of total grain content.
8. (Amended) A breakfast cereal biscuit as claimed claim 4 wherein said waxy grain comprises 100% by weight of total grain content.
9. (Amended) A breakfast cereal biscuit as claimed in claim 5 wherein said barley is hydrated to a moisture content of up to 30% w/w.
14. (Amended) A process as claimed in claim 12 wherein said waxy grain is selected from barley, corn, wheat, rice and/or sorghum.
16. (Amended) A process as claimed in claim 14 wherein said waxy grain comprises at least 75% by weight of total grain content.
17. (Amended) A process as claimed in claim 14 wherein said waxy grain comprises at least 90% by weight of total grain content.
18. (Amended) A process as claimed in claim 14 wherein said waxy grain comprises 100% by weight of total grain content.
19. (Amended) A process as claimed in claim 15 wherein said barley is hydrated to a moisture content of up to 30% w/w.
22. (Amended) A breakfast cereal biscuit prepared by a process of claim 12.

Please cancel claim 23.


**REMARKS**

As originally prepared, claims 4-11 and 16-22 did not comply with the multiple dependent claim style specified by U.S. law. The amendments submitted above have been made to delete all multiple dependent claims. In addition, claim 23 was cancelled as it was deemed to be an improper claim for U.S. prosecution.

Attached hereto is a marked-up version of the changes made to the claims by the current amendment. The attached page is captioned "Version with markings to show changes made."

It is respectfully requested that the above amendments be entered before an action on the merits is issued.

Respectfully submitted,



Leopold Presser  
Registration No. 19,827

Scully, Scott, Murphy & Presser  
400 Garden City Plaza  
Garden City, New York 11530

LP:EWG:lf

**VERSION WITH MARKINGS TO SHOW CHANGES MADE**

**In the claims:**

Claims 3, 4, 6-9, 14, 16-19 and 22 have been amended as follows:

3. (Amended) A breakfast cereal biscuit as claimed in [either] claim 1 [or claim 2] which additionally comprises any one or more of other grain or grain products, nuts, fruits, fruit juice, nutritional supplements, flavours, colours, salt, sweeteners and/or stabilizers.
4. (Amended) A breakfast cereal biscuit as claimed in [any one of claims 1 to 3] claim 1 wherein said waxy grain is selected from the group consisting of barley, corn, wheat, rice and sorghum.
6. (Amended) A breakfast cereal biscuit as claimed in [either] claim 4 [or claim 5] wherein said waxy grain comprises at least 50% by weight of total grain content.
7. (Amended) A breakfast cereal biscuit as claimed in [either] claim 4 [or claim 5] wherein said waxy grain comprises at least 90% by weight of total grain content.
8. (Amended) A breakfast cereal biscuit as claimed in [either] claim 4 [or claim 5] wherein said waxy grain comprises 100% by weight of total grain content.
9. (Amended) A breakfast cereal biscuit as claimed in [any one of claims 5 to 8] claim 5 wherein said barley is hydrated to a moisture content of up to 30% w/w.
14. (Amended) A process as claimed in [either] claim 12 [or claim 13] wherein said waxy grain is selected from barley, corn, wheat, rice and/or sorghum.

16. (Amended) A process as claimed in [either] claim 14 [or claim 15] wherein said waxy grain comprises at least 75% by weight of total grain content.
17. (Amended) A process as claimed in [either] claim 14 [or claim 15] wherein said waxy grain comprises at least 90% by weight of total grain content.
18. (Amended) A process as claimed in [either] claim 14 [or claim 15] wherein said waxy grain comprises 100% by weight of total grain content.
19. (Amended) A process as claimed in [any one of claims 15 to 18] claim 15 wherein said barley is hydrated to a moisture content of up to 30% w/w.
22. (Amended) A breakfast cereal biscuit prepared by a process of [any one of claims 12 to 21] claim 12.

Claim 23 has been cancelled.

BREAKFAST CEREAL BISCUIT COMPRISING WAXY GRAIN

## Field of the Invention

5 The present invention relates to an improved breakfast cereal biscuit and in particular, to an improved breakfast cereal biscuit comprised of grain which is at least 20% by weight waxy grain. The present invention also relates to a method of manufacture of such improved breakfast cereal biscuits.

## 10 Background of the Invention

Breakfast cereal biscuit (BCB) products make up a significant proportion of the international ready-to-eat breakfast cereal market. Some examples of BCB products available on the world market are Weet Bix (Sanitarium Health Food Company, 145 Fox Valley Road, Waroonga, NSW 2076, Australia), Weetabix (Weetabix Ltd, Burton Latimer Kettering, Northants, NN15JR, England) and Vita Brits (The Uncle Toby's Company Limited, Barkly Street, Wahgunya, Victoria, 3687, Australia). These products which have been available for many years are usually made from wheat, which have other optional inclusions such as flavourings, nutritional supplements, pre-puffed or pre-toasted  
20 cereals, fruits, bran, salt, sweeteners or stabilizers.

BCBs are usually marketed as biscuits typically with dimensions of about 8x4x2 cm as well as in an assortment of shapes such as cubes, cylinders etc. They are generally eaten with cold or hot milk and the flakes of grain within the biscuit become soft and mushy  
25 within only 2-3 minutes of the addition of cold milk and quicker with hot milk. A feature of the BCBs is that the flattened grain flakes are visually discernible within the biscuit produced. This is a feature which distinguishes this type of BCB from shredded wheat biscuits wherein individual grains are not discernible.

30 The BCBs are generally made from the whole wheat kernel (germ, bran and endosperm), by initially hydrating and cooking the kernel and then rolling the cooked grain into very

FOIA b 7 - D



thin flakes which are then agglomerated and formed into biscuits. A description of this type of process is provided in the video entitled "Breakfast is Ready". produced in 1993 by Video Education Australasia Pty Ltd, (111 Mitchell Street, Bendigo, Victoria, 3550, Australia).

5

An alternative method involves the grains being hydrated and cooked followed by flaking and agglomeration along with the addition of flavours, colours, fruits etc, optional predrying and then the resultant mixture formed in the desired shapes and toasted dry to the final desired biscuit product.

10

Another type of grain-derived biscuit or cake can be produced from puffed whole grains, as described by Wu in US Patent No. 4,888,180. These products are produced from non-waxy rice, wheat, rye, corn and the like. The grains are conditioned to a predetermined moisture content, formed in a pre-heated mould and high temperature  
15 expanded. Consequently, the taste and texture of this product is quite distinct from the flaked grain BCBs. The puffed grain biscuits or cakes are also generally eaten in the form of a bread substitute, rather than with warm or cold milk, as is the case with the flaked grain BCBs.

20 Waxy grains have not generally been contemplated in the manufacture of BCBs. Waxy grains tend to become very sticky when hydrated during cooking and processing steps. This often results in the cooked waxy grains forming a glue-like material and sticking to surfaces of the cooking and processing apparatus. The difficulties associated with processing waxy grain has meant that non-waxy grain has been used in the preparation of  
25 BCBs.

There are a number of drawbacks with the BCB products currently available. One significant disadvantage is that when the BCB is combined with cold milk, the biscuit rapidly absorbs the milk and rapidly loses its crispy texture to become soft and mushy,  
30 usually within two to three minutes. The softened flakes also become capable of being dispersed into the milk very easily with a spoon. This short "bowl life", which refers to

the time it takes for a cereal to become soft and mushy when immersed in cold milk, is considered by many consumers to be a disadvantage with BCB products. For example, compared with the bowl life of two to three minutes for known wheat flake BCBs, corn flake cereals generally have a bowl life of five to six minutes and oven crisped rice cereals 5 (for example Kellogg's Rice Krispies, Kellogg Co. 235 Porter Street, Battle Creek, Michigan 49016, U.S.A.) generally exhibit a bowl life of six to seven minutes. Within the breakfast cereal industry, a bowl life of six to eight minutes is considered to be desirable.

- 10 Furthermore, attempts have been made to improve the nutritional quality of, and to add textural and flavour variety to, flaked wheat BCBs, by adding other cereal grains such as rice, rolled oats, sesame seeds etc. Such products have tended to be more expensive than the simple wheat BCBs, and have in addition been shown to produce a product which is less tender, less crisp and generally less appealing to consumers than the all-flaked wheat 15 BCBs.

It is an object of the present invention to overcome or at least substantially ameliorate some of the problems associated with the flaked grain BCB products known to date. Other objects according to the present invention will become apparent from the following 20 description thereof.

### Summary of the Invention

It has been surprisingly found by the present inventors that by producing BCBs from grain 25 which is at least 20% by weight waxy grain, it is possible to produce a flaked grain BCB product which exhibits extended bowl life, has improved nutritional qualities and is tender and crisp in texture. In particular, BCBs produced from waxy barley develop pleasant natural malted flavours without the need for malty flavour additions, at the same time as requiring reduced energy in the manufacturing process, when compared with standard 30 BCBs produced from flakes of wheat.

Thus, according to one embodiment of the present invention there is provided a breakfast cereal biscuit comprising grain wherein said grain includes waxy grain in an amount of at least 20% by weight of total grain content.

- 5 Preferably waxy grain comprises at least 50% by weight, more preferably 90% by weight, most preferably 100% by weight of total grain content.

Preferably the waxy grain is selected from barley, corn, wheat, rice and sorghum, and more preferably the waxy grain is barley.

10

In a particularly preferred embodiment the barley is hydrated to a moisture content of up to 30%, more preferably from 24 to 29%, most preferably about 29% w/w.

The BCB of the invention contains flaked waxy grain which typically has been processed  
15 by hydration and cooking of the grain either sequentially or simultaneously or both, rolled into flakes, agglomerated into a desired biscuit shape, and toasted. Alternatively the rolled grain is toasted prior to agglomeration into the desired biscuit shape.

One advantage of using waxy grains, in particular barley, is that the processed flakes can  
20 be agglomerated without the need for additives such as binders, salt, flavours and other agents to prepare a suitable flaked grain BCB product.

Nonetheless it is sometimes desirable to add one or more of other grain or grain products, nuts, fruits, fruit juice, nutritional supplements, flavours, colours, salt, sweeteners,  
25 stabilisers and the like in the preparation of the biscuits.

According to another embodiment of the present invention there is provided a process for producing a breakfast cereal biscuit comprising the steps of:

- 30 a) selecting grain which includes waxy grain in an amount of at least 20% by weight of total grain content;
- b) hydrating and cooking said grain either sequentially or simultaneously or

both;

- c) rolling cooked grain into flakes; and either
- d) agglomerating the flakes of step c) into a desired biscuit shape; and
- e) toasting the product of step d); or
- 5 f) toasting the flakes of step c); and
- g) agglomerating the product of step f) into a desired biscuit shape.

### Detailed Description of the Invention

10 Throughout this specification, unless the context requires otherwise, the word "comprise", or variations such as "comprises" or "comprising" or the term "includes" or variations thereof, will be understood to imply the inclusion of a stated element or integer or group of elements or integers but not the exclusion of any other element or integer or group of elements or integers. In this regard, in construing the claim scope, an embodiment where  
15 one or more features is added to any of the claims is to be regarded as within the scope of the invention given that the essential features of the invention as claimed are included in such an embodiment.

Throughout this specification and the appended claims, it is intended that the term  
20 "breakfast cereal biscuit" or the abbreviation "BCB" means a biscuit produced from the agglomeration of flaked cereal grains. Such biscuits are usually consumed in conjunction with warm or cold milk.

Breakfast cereal biscuits are generally intended to be consumed as a breakfast meal, in  
25 conjunction with milk or a milk substitute. Milk substitutes may include for example, soy milk or even fruit juice or water, all of which have the effect of reducing the crispness of the BCB at least to some extent. Naturally however, it is possible for BCBs to be consumed as a meal or snack at other times of the day, or without the addition of milk or a milk substitute. For example, some consumers may wish to use the BCBs as a base for  
30 toppings such as butter, jam, honey or even savoury toppings such as ham and cheese.

Up until the present time there has been no consideration given to production of BCBs from waxy grains. What is meant by "waxy grain" is grain wherein about 10% or less of the starch present within the grain is in the form of amylose. As will be understood by persons skilled in the art, barley, oats and rice are comprised of four major components, namely the hull or husk, the bran, the germ and the endosperm, however, some varieties of barley and oats lack a hull layer, and are known as naked varieties. The bran layer includes fibre and protein with some vitamins and minerals. The endosperm is comprised of carbohydrate, in the form of starch, and protein, and the germ includes fat, protein and fibre as well as some vitamins and minerals. In the case of waxy grains, most of the starch present within the endosperm is in the form of amylopectin, rather than a mixture of amylopectin and amylose present in non-waxy grains. The waxy grains contemplated by the present invention include waxy grains of barley, corn (maize), sorghum (milo), rice and wheat as well as other varieties of grain or starchy seeds which contain 10% or less of their starch content as amylose. It is also intended that the waxy grains can be combined with other waxy grains so that, for example, waxy barley can be combined with waxy corn. It is also intended that the BCBs according to the present invention can be produced from a combination of waxy and non-waxy grains, as long as there is at least 20% of total grain weight comprised of waxy grain. Preferably, however, at least 50% of the total grain weight will be comprised of waxy grain, more preferably at least 75%. Particularly preferably, waxy grain will comprise at least 90% of the total grain weight, and most particularly preferred is the situation where waxy grain is present in the BCB product to the exclusion of non-waxy grain. Preferably the waxy grain is waxy barley.

The general process followed in producing the breakfast cereal biscuits according to the invention is that the grain, which should be of good quality, is initially cleaned and graded as desired to ensure that it is free of infestations, dirt or stones. Grains which have hulls will need to be dehulled. It is then possible, if desired, to fully or partially remove the bran layer. For example, 5-15% of the outer bran may be removed. It is to be stressed however, that this removal of bran is purely optional, and is conducted in order to aid the process of hydration of the grain or to modify the eating quality of the final food.

It is also optional to crack the grain (without excessive damage) for example by passage through a roller mill. This process will aid moisture absorption.

The grain is to be hydrated and cooked, and these steps may be conducted separately or in combination. For example, hydration can be conducted simply by steeping the grain in water or conditioning to the require moisture content by methods well known in the grain processing industry. It is possible at this stage, if desired, also to add sugars, salts or other flavourings or additives for example by dissolving the added material(s) in the water absorbed. Following hydration the grain may be cooked, for example, in an autoclave or rotary steam pressure cooker. Equally however, the cooking may to be conducted without any prior hydration step, such that the hydration of the grain takes place during the cooking. Other materials such as sugars, salt, malt and other flavourings or additives may be added to the cooking process. A third option is to combine these two hydration methods by partially hydrating the grains prior to cooking followed by addition of the balance of moisture during the cook phase. The moisture content to which the grain is hydrated is dependent upon grain type. Preferably, the moisture content of the grain is increased to at least about 17-18% during the hydration and cooking stages depending upon grain type and characteristics desired in the final product. In some cases however, hydration of the grain may be substantially higher, so that the grain will comprise nearly 50% moisture content. It is important, however, that the grain is not overly moist when the process of rolling into flakes is conducted, since if the moisture is excessively high at this stage, the flakes will lose their integrity during the rolling process and material may adhere to the rollers.

As will be well understood, there is a considerable degree of flexibility associated with the moisture content, cooking time and temperature. The overall objectives of the hydration and cooking steps are to increase the moisture content of the grain and to soften the grain in preparation for rolling. The addition of moisture also aids gelatinisation of starch during heat application. As will also be understood, it is generally the case that the adoption of increased cooking temperatures will require decreased cooking time. For example, it may be appropriate to cook the grain for between about 20 minutes and about

90 minutes at temperatures ranging between about 100°C and 180°C. During the cooking phase, substantially all of the starch within the grain will have been gelatinised. Unfortunately, the cooking process tends to destroy many of the vitamins, such as B group vitamins, which may be present in the uncooked grain. Of course, by requiring a lesser period of cooking the products of this invention lose a lesser amount of the contained natural vitamins. Nonetheless, it may therefore be appropriate to add various nutrients, flavours and the like to the flakes, at any suitable stage of the process. Such additives include vitamins, minerals or other nutritional supplements, flavours, colours, salt, sweeteners and/or stabilisers.

10

If it is necessary for the moisture content of the cooked grain to be reduced following the cooking step, this may conveniently be conducted by allowing the cooked grain to air-dry, either in ambient air or by exposing the cooked grain to warm air for a period of time.

15 Upon completion of the cooking step, and the above described drying step if necessary, the cooked grain is passed through a roller mill which is set at a very fine gap, in order to produce flakes preferably between about 0.01 mm and about 0.2 mm or greater, depending upon grain size and type. After rolling, the flakes produced remain integral and can then be agglomerated and formed into the desired biscuit shape.

20

"Agglomeration" is intended to mean the related processes of binding the grain flakes together and forming into the desired biscuit shape. In one form of the invention, agglomeration is achieved simply by allowing the flakes to fall onto a moving conveyor belt such that the flakes pile upon one another to form a mat of desired thickness.

25 Naturally, the speed of the conveyor will determine the mat thickness. The flakes can then be passed through a press to compress the mat and to aid in binding the flakes together. It has been found that flakes produced from wheat are generally quite sticky due to addition of salt during the hydration or cooking phase. The added salt appears to aid in improving adhesion of the flaked grains in the agglomeration step. One advantage of  
30 using waxy grains like barley is that salt addition is not necessary in order to bind the grain flakes.

T04230-EE195660

Once the mat of agglomerated flakes has been compressed to the appropriate thickness, it may be cut into the desired biscuit shape. Generally, this will be a bar or cuboid shape although the formation of other shapes is equally possible if desired.

5

It is also possible for the agglomeration step to take place by placing flakes within perforated moulds of the desired shape, compressing the flakes and then removal of the shaped biscuit from the mould after toasting. This alternative process of agglomeration is somewhat more labour intensive than the formation of a mat which can be compressed and  
10 cut, although it does provide more flexibility in the nature of biscuit shapes which can be produced.

An alternative method for BCB production involves the toasting of the grain flakes prior to agglomeration into the desired shapes. This may be preferred if additional of heat  
15 sensitive components or other additions are required where they will be added during the agglomeration or after.

At the time of agglomeration it may also be appropriate for other components to be added to the biscuit. For example, it is possible at this stage, as mentioned above, for nutritional  
20 supplements such as vitamins or minerals, flavours, colours, salt, sweeteners and/or stabilisers to be added. It is also possible however, for other grains or grain products, nuts, fruits or fruit juices to be added and incorporated within the biscuit product. By other grain or grain products, it is intended to mean that for example, pre-rolled, pre-puffed or pre-toasted grains or grain components may be included within the biscuit  
25 form. The addition of such components may favourably alter the flavour and/or texture of the final BCB product.

Following the agglomeration step which includes shaping into the desired biscuit shape, the formed biscuits optionally are toasted. During the toasting phase, the biscuits are  
30 heated to between about 110°C to about 240°C for a period of between about 30 seconds and about 30 minutes depending on the desired result, in order to reduce the moisture

Toasted - 09553560



content from between around 16-50% to between about 1-8%. During this toasting stage, the biscuits will undergo texture, flavour and colour changes associated with the moisture content reduction and heat application. Also, volume reductions during toasting of between 5%-20% can be expected.

5

As with the cooking step described above, there is significant flexibility associated with the time and temperature adopted when toasting the BCB product. Toasting may be conducted by means well known in the art, for example by utilisation of a forced hot air toaster, or by baking in a hot oven.

10

The product, once toasted and formed if required, is then ready for packaging and distribution.

In one optional form of the invention the toasted biscuit may be coated with a coverture as 15 desired, for example with chocolate, yoghurt, honey, sugar glaze, or filled with flavourings etc.

It has been surprisingly found by the present inventors that utilising a grain mixture which comprises at least 20% by weight waxy grain, results in a BCB product which exhibits 20 greatly increased bowl life. By way of illustration, as will be shown in the following examples and accompanying drawing (Figure 1), a BCB product which includes 100% of grain weight of waxy barley, exhibits a bowl life of around eight minutes, which is significantly improved relative to the bowl life obtained for non-waxy wheat BCBs, as currently commercially available, of around three minutes or less.

25

Another significant advantage of the present invention is that it has been surprisingly found that the energy requirement associated with cooking BCBs produced from substantially waxy grains is quite significantly reduced relative to the energy requirements for cooking BCB products produced from non-waxy grains. This surprising result is of 30 significant commercial importance, and means that the overall production costs of the BCBs of the invention is markedly reduced relative to that of known BCBs. For example,

to manufacture BCBs from wheat, the cooking requirement was 75 minutes at 127°C followed by toasting at 160°C, 15 minutes. This contrasts the conditions for waxy barley which requires cooking for 30 minutes at 125°C followed by toasting at 130°C for 15 minutes.

5

It has also been found that the BCBs produced from some waxy grains, especially those produced from waxy barley, develop an appealing malted flavour and rich golden brown colour, without the need of any additional sugars or malt in order to produce this improved flavour and colour profile. Importantly also, BCBs produced from waxy grains, 10 and again particularly waxy barley, have significant nutritional benefits relative to the commercially available BCB product. Some waxy grains appear to contain an increased level of dietary fibre and particularly soluble fibre, relative to their non-waxy counterparts. For example, waxy barley contains 14.7% dietary fibre comprising 6% soluble fibre, whereas non-waxy wheat comprises only 11% dietary fibre and less than 15 1% soluble fibre (David Oakenfull, Food Applications for Barley, presented at 5th International Oat Conference and 7th International Barley Genetics Symposium, Saskatoon, August 1996). Waxy barley is also high in  $\beta$ -glucan content, which is a particularly beneficial form of soluble fibre (McIntosh, G. H. et al, Am. J. Clin. Nutr. 1991, 53:5, pp 1205-1209; Uusitupa, M. I. et al, J. Am. Coll. Nutr. 1992, 11:6, pp 20 651-659). Soluble dietary fibres are defined as the non-cellulose fraction of the NSP-hemicelluloses which include the (1 3) (1 4) mixed linkage ( $\beta$ -glucans, pectins, gums and mucilages (Oakenfull *ibid*).

A further, surprising attribute of the present invention is that product wastage is markedly 25 reduced due to a reduced tendency for the BCB product to break or form dust. This has obvious economic benefits, as well as being appealing to consumers who will be less likely to receive broken or damaged products.

Another surprising attribute of the invention is that BCBs produced from waxy barley do 30 not require added salt, as is necessary in commercial wheat BCBs.

### Detailed Description of the Figure

The present invention will now be described by way of example only and with reference to the figure, wherein:

5

Figure 1 shows a diagrammatic representation of five highly preferred processing and product attributes of three breakfast cereal biscuit grains. The three grains are represented as follows:

10

- ☐ Waxy Barley
- ☒ Wheat
- ☒ Regular Barley

The centre of the pentagon in Figure 1 represents the more desirable properties of the five attributes for biscuit products, whilst the vertices represent the lesser desirable properties.

The five important processing and product attributes represented by the radicals of the pentagon are defined as follows:

20 BOWL LIFE (BL):

Time in minutes for biscuit cereal to become soft and mushy when placed in cold milk. The vertex represents 0 minutes and the centre represents 10 minutes.

25 CRISPNESS (Cr):

Textural characteristic being brittle and firm but yielding to a comfortable amount of pressure generated by the jaw when eaten. A crisp and not mushy texture is desirable. The vertex represents mushy texture and the centre represents crisp texture.

30 FIRMNESS (F):

Degree of hardness or tenderness associated with the product when eaten. A tender and not hard product is

0055613-08401  
104280-EST95860

- 13 -

most desirable. The vertex represents a hard product and the centre represents a tender product.

**ENERGY (E):**

5

Amount of cooking energy required in processing to achieve the optimum product which includes full gelatinisation of the product's starch content, development of desirable colour and flavour and texture characteristics. The vertex represents  $12 \text{ KPa} \cdot \text{min} \times 10^3$  and the centre represents  $4 \text{ KPa} \cdot \text{min} \times 10^3$ .

10

**COHESIVENESS (Co):**

15

The degree to which the individual flakes of grain bind together within the biscuit during processing and in the final product. A highly and strongly cohesive character is most desirable. The vertex represents weak cohesive character and the centre represents strong cohesive character.

By quantifying these different attributes, it can be summarised that the optimum and most desirable breakfast biscuit displays a long bowl life, a crisp and tender texture, highly cohesive flakes and a low energy input for manufacture. Energy used for processing each grain type also reflects processing time. Shorter processing times are found in the following examples and reflected in this invention. A shorter processing time is advantageous since this allows the production of a greater quantity of food in a given time and hence reduces the cost of capital equipment relative to volume of production. With reference to three different grains, wheat, regular barley and waxy barley in Figure 1, it can be seen that any product which plots closest to the centre of the pentagon will be a superior and more desirable biscuit product. In this case, waxy barley gave the longest bowl life, least energy consumption, and desirable cohesiveness and textural characteristics of the three grains. Although wheat scored well in crispness, firmness and cohesiveness, it scored poorly in bowl life and had the highest energy consumption.

09544  
6679560

Regular barley had the poorest rating in all categories except energy and bowl life, in which it rated better than wheat but worse than waxy barley.

The present invention will now be further described with reference to the following  
5 non-limiting examples.

#### EXAMPLE 1A

A ready to eat barley biscuit cereal product was made from a hulled variety of waxy  
10 barley having less than 10% amylose content and about 9-10% moisture content. The grain was lightly peeled (in an abrasive-type mill eg; Satake Engineering Company Ltd. Nishihon-machi, Saijo, Hagashi Hiroshima-shi. Japan) to remove the hull but not the bran layer. It will be understood that if a hulless type of waxy barley is used, the de-hulling step is not necessary. It was then hydrated in water to 29% moisture content. This was  
15 achieved by tumbling the grain with the appropriate volume of water until the grain had absorbed the entire volume of solution and the grains remain separate and integral (about 30 minutes at 24°C). The hydrated grain was then cooked in an autoclave in live steam at 125°C for 30 minutes to gelatinise the starch. The cooked grain was quite separate and integral at this stage. The hot grain was then passed through a roller mill set at a gap  
20 width between the rolls of 0.03 - 0.04 mm which compressed the grain to a flake. The roller mill had smooth rollers moving at identical speeds. The flaked grain was cohesive and stuck together when gently compressed. The flaked grain was packed into metal forms made from stainless steel mesh of the required dimension to give a suitable breakfast cereal biscuit (eg. 22 g cereal per 15x75x51 mm mould). The thus-formed  
25 biscuits were then toasted at 130°C with hot air blown through the biscuit to achieve even heat distribution throughout the biscuit for 13 minutes, by which time a light golden colour had developed. At this stage the product contained 2-3% moisture content. The volume of the biscuit was decreased by about 15% during toasting and was readily removable from the stainless steel mesh forms. This method of preparation was designed  
30 to simulate methods used in industrial production of BCBs.

This method was also used for other grains discussed below in Table 1. except for the times and temperatures which were altered as required.

In the final biscuit product individual whole barley flakes were still discernible within the bound grain mass. The grain was a warm golden toasted colour.

The finished barley product can be eaten as is as a dry biscuit being tender, crisp and tasty. Alternately, the barley biscuit can be served as a cold breakfast cereal in a bowl with hot or cold milk. In cold milk the barley biscuits have a fresh, crispy and crunchy texture. The grains within the biscuit soften quite slowly without the biscuit losing its overall shape or dispersing into the milk. Surprisingly, the individual flaked grains maintain their identity even though they eventually become softer with time. The waxy barley BCB has a pleasant toasted flavour with a naturally slightly sweet malty character.

#### 15 EXAMPLE 1B

A ready-to-eat barley biscuit cereal product was prepared from the same hulled waxy barley as in example 1A except the cooking conditions used to make the biscuits therefrom were the same as used in Example 2B-(b) for wheat-based biscuits. The hulled waxy barley was hydrated to 30% moisture content with 1.5% added salt. The hydrated grain was then cooked at 127°C for 75 minutes at which stage the grains were excessively sticky and very dark in colour. The grain was rolled to form flakes but the grain built up on the roller mill and was deemed too difficult to process at this stage. The grains had browned too much to give an acceptable food product.

25

#### EXAMPLE 1C

A ready-to-eat barley biscuit cereal product was prepared from the same hulled waxy barley as in example 1A except the grain was prepared by hydration to 42% moisture content. This moisture content represented near complete hydration of the grain. This was achieved by steeping the grain in water at 50°C for the required time to reach 42%

moisture (30 minutes). Alternatively the grain was hydrated during cooking by addition of the required water to the grain in the cooker. The grain was then cooked at either 121 C, 123°C or 125°C for 30 minutes. The grain was fully gelatinised at this point as judged by the lack of chalkiness in the grain interior. The grain produced from each  
5 condition could not be passed successfully through a roller mill as in example 1A because it was too sticky, the grains were clumped together, stuck to the rolls and could not be processed into a breakfast cereal biscuit product. Alternatively, instead of rolling the grain directly out of the cooker, the grain was first dehydrated to a moisture content (less than 30% moisture) at which point the grains became separate and the dried grain could  
10 pass through the roller mill. These flakes required surface moistening to produce cohesive flakes and acceptable biscuits. However this method was deemed impractical as the grains would be too sticky to remove from a commercial rotary cooker.

#### EXAMPLE 1D

15

A ready-to-eat barley biscuit cereal product was prepared from the same barley grain as in example 1A except the grain was hydrated to either 25%, 29% or 35% moisture content and cooked at 121°C for 30 minutes. The grain was not fully gelatinised except for the 35% moisture content sample which was very sticky, would be difficult to remove from a  
20 rotary cooker and could not be used in subsequent steps without first dehydrating the grain as in example 1B. The remaining sample grain was then passed through a roller mill to produce flakes as in example 1A, except the resultant flakes were not cohesive and did not stick together and could not be used to form a successful biscuit product. The toasted biscuits were not crisp and tender and the flakes fell apart from the biscuit.

25

#### EXAMPLE 2A

A ready-to-eat wheat biscuit cereal product was made from non-waxy regular whole wheat grains having a moisture content of 10% and a protein content of 11%. The grain was  
30 lightly peeled (in an abrasive-type mill eg: Satake Engineering Company Ltd. Nishihon-machi, Saijo, Hagashi Hiroshima-shi. Japan) to remove less than 5% of the weight of the

grain to aid in hydration of the grain. It was then hydrated with water to 30% moisture content. This was achieved by tumbling the grain with the appropriate volume of water until the grain had absorbed the entire volume of water and the grains remain separate and integral (about 50 minutes at 24°C). This is longer than with waxy barley as seen in example 1 (30 minutes). The hydrated grain was then cooked in an autoclave in live steam under the following regimes: 125°C for (a) 20 minutes, (b) 30 minutes, (c) 40 minutes and (d) 50 minutes and at (e) 128°C for 30 minutes or at (f) 130°C for 30 minutes.

In all samples the cooked grain was quite separate and integral at this stage. The cooked grain was not fully gelatinised in all samples. This is in contrast to waxy barley (Example 1A) which gave full gelatinisation after cooking at 125°C for only 30 minutes. The hot grain was then passed through a roller mill set at a gap width between the rolls of 0.03 - 0.04 mm which compressed the grain to a flake. In all samples except (d) and (f), the flaked grain was not cohesive and the flakes would not stick together as required by an acceptable process. In samples (d) and (f) the flaked grain exhibited an improved degree of cohesiveness but was not optimal. In contrast, flaked waxy barley was cohesive and the flakes adhered together (Example 1A) at this stage.

The flaked grain was packed into metal forms made from stainless steel mesh as in Example 1A. The thus-formed biscuits were then toasted at 130°C with hot air blown through the biscuit to achieve even heat distribution throughout the biscuit for 13 minutes. At this stage the product contained 2-3% moisture content. The resultant biscuits were lighter in colour than commercial wheat biscuits and they were hard and dense and not crisp. All the biscuit samples were too firm to eat and exhibited various degrees of chalkiness and were considered unacceptable.

#### EXAMPLE 2B

A ready to eat wheat biscuit cereal product was made from non-waxy regular whole wheat grains having a moisture content of 10% and a protein content of 11%. The grain was lightly peeled as before. It was then hydrated in water to 30% moisture content and 1.5%



NaCl. This was achieved by numbling the grain with the appropriate volume of water and salt until the grain had absorbed the entire volume of solution and the grains remain separate and integral (about 60 minutes at 24°C). The addition of salt to the solution increased the time needed for the grains to fully absorb the added solution. The hydrated grain was then cooked in an autoclave in live steam under the following regimes: 127°C for (a) 60 minutes and (b) 75 minutes.

The cooked grain of both samples was quite separate and integral at this stage and no chalkiness was evident. The hot grain was then passed through a roller mill set at a gap width between the rolls of 0.03 - 0.04 mm which compressed the grain to a flake. The resultant flakes in sample (b) were cohesive and easily stuck together when gently compressed in the palm of one's hand or in metal forms for toasting. This feature was considered optimal for the process. Flakes produced in sample (a) were less cohesive and did not stick together as well as in sample then (b) or as well as with waxy barley (Example 1A). Sample (b) was then packed into metal mesh forms and toasted at three different temperatures: 150°C, 155°C and 160°C for 15 minutes each. The resultant biscuits were all similar in bowl life of 3 minutes which is typical of commercial wheat biscuits. Only the sample toasted for 15 minutes at 160°C became fully dry, crisp and had developed a warm brown toasted colour. Sample (b) when toasted for 15 minutes at 160°C was considered acceptable and most similar to commercial wheat breakfast cereals. The energy expenditure required to produce an acceptable wheat biscuit (cook: 127°C, 75 minutes; toast: 160°C, 15 minutes) was much greater than that required for waxy barley (cook 125°C, 30 minutes; toast: 130°C, 13 minutes). In contrast to waxy barley (Example 1A), in order to achieve wheat flakes which stick together, the addition of salt was required. This represents a processing option to either add salt or not when using waxy barley instead of wheat.

### EXAMPLE 3

A ready-to-eat barley biscuit cereal product was made from a hulled variety of waxy barley and biscuits prepared as in Example 1 except the dehulled grain was hydrated in a

solution of 1.5% sodium chloride and 5% sucrose to 29% moisture content prior to cooking.

This method was also used for the other grains discussed below in Table 1. except for the 5 times and temperatures which were altered as required.

In the final biscuit product individual whole barley flakes were still discernible within the bound grain mass. The grain was a warm golden toasted colour but was more brown than in Example 1.

10

The finished barley product can be eaten as is as a dry biscuit being tender, crisp and tasty. Alternately, the barley biscuit can be served as a breakfast cereal in a bowl with hot or cold milk or a milk substitute.

15 In cold milk the barley biscuits made in examples 1 and 3 have a fresh, crispy and crunchy texture. The grains within the biscuit soften quite slowly without the biscuit losing its overall shape or dispersing into the milk. Surprisingly, the individual flaked grains maintain their identity even though they eventually become softer with time. The waxy barley BCB has a pleasant toasted flavour with a slightly sweet malty character.

20 They maintain a distinct crispness for 6 minutes and become soft only after about 8 minutes (See Tables 1 and 2). In comparison, commercially produced wheat BCBs become soft in 2 minutes and mushy in 3 minutes in cold milk.

Hot milk can also be used to make a convenient hot cereal where the barley grains also 25 remain integral as they soften, maintaining at the same time the form of the integral biscuit.

Other variations with this barley cereal include flavouring the grains with fruit juice concentrates and/or adding dried fruits or other flavour components by incorporating them 30 at various stages of the process. This invention allows for the addition of the heat-sensitive flavour and vitamin components to the already cooked grains. This may

0055-67560  
0340-0340  
0420-0420  
0500-0500  
0580-0580  
0660-0660  
0740-0740  
0820-0820  
0900-0900  
0980-0980  
1060-1060  
1140-1140  
1220-1220  
1300-1300  
1380-1380  
1460-1460  
1540-1540  
1620-1620  
1700-1700  
1780-1780  
1860-1860  
1940-1940  
2020-2020  
2100-2100  
2180-2180  
2260-2260  
2340-2340  
2420-2420  
2500-2500  
2580-2580  
2660-2660  
2740-2740  
2820-2820  
2900-2900  
2980-2980  
3060-3060  
3140-3140  
3220-3220  
3300-3300  
3380-3380  
3460-3460  
3540-3540  
3620-3620  
3700-3700  
3780-3780  
3860-3860  
3940-3940  
4020-4020  
4100-4100  
4180-4180  
4260-4260  
4340-4340  
4420-4420  
4500-4500  
4580-4580  
4660-4660  
4740-4740  
4820-4820  
4900-4900  
4980-4980  
5060-5060  
5140-5140  
5220-5220  
5300-5300  
5380-5380  
5460-5460  
5540-5540  
5620-5620  
5700-5700  
5780-5780  
5860-5860  
5940-5940  
6020-6020  
6100-6100  
6180-6180  
6260-6260  
6340-6340  
6420-6420  
6500-6500  
6580-6580  
6660-6660  
6740-6740  
6820-6820  
6900-6900  
6980-6980  
7060-7060  
7140-7140  
7220-7220  
7300-7300  
7380-7380  
7460-7460  
7540-7540  
7620-7620  
7700-7700  
7780-7780  
7860-7860  
7940-7940  
8020-8020  
8100-8100  
8180-8180  
8260-8260  
8340-8340  
8420-8420  
8500-8500  
8580-8580  
8660-8660  
8740-8740  
8820-8820  
8900-8900  
8980-8980  
9060-9060  
9140-9140  
9220-9220  
9300-9300  
9380-9380  
9460-9460  
9540-9540  
9620-9620  
9700-9700  
9780-9780  
9860-9860  
9940-9940  
10020-10020  
10100-10100  
10180-10180  
10260-10260  
10340-10340  
10420-10420  
10500-10500  
10580-10580  
10660-10660  
10740-10740  
10820-10820  
10900-10900  
10980-10980  
11060-11060  
11140-11140  
11220-11220  
11300-11300  
11380-11380  
11460-11460  
11540-11540  
11620-11620  
11700-11700  
11780-11780  
11860-11860  
11940-11940  
12020-12020  
12100-12100  
12180-12180  
12260-12260  
12340-12340  
12420-12420  
12500-12500  
12580-12580  
12660-12660  
12740-12740  
12820-12820  
12900-12900  
12980-12980  
13060-13060  
13140-13140  
13220-13220  
13300-13300  
13380-13380  
13460-13460  
13540-13540  
13620-13620  
13700-13700  
13780-13780  
13860-13860  
13940-13940  
14020-14020  
14100-14100  
14180-14180  
14260-14260  
14340-14340  
14420-14420  
14500-14500  
14580-14580  
14660-14660  
14740-14740  
14820-14820  
14900-14900  
14980-14980  
15060-15060  
15140-15140  
15220-15220  
15300-15300  
15380-15380  
15460-15460  
15540-15540  
15620-15620  
15700-15700  
15780-15780  
15860-15860  
15940-15940  
16020-16020  
16100-16100  
16180-16180  
16260-16260  
16340-16340  
16420-16420  
16500-16500  
16580-16580  
16660-16660  
16740-16740  
16820-16820  
16900-16900  
16980-16980  
17060-17060  
17140-17140  
17220-17220  
17300-17300  
17380-17380  
17460-17460  
17540-17540  
17620-17620  
17700-17700  
17780-17780  
17860-17860  
17940-17940  
18020-18020  
18100-18100  
18180-18180  
18260-18260  
18340-18340  
18420-18420  
18500-18500  
18580-18580  
18660-18660  
18740-18740  
18820-18820  
18900-18900  
18980-18980  
19060-19060  
19140-19140  
19220-19220  
19300-19300  
19380-19380  
19460-19460  
19540-19540  
19620-19620  
19700-19700  
19780-19780  
19860-19860  
19940-19940  
20020-20020  
20100-20100  
20180-20180  
20260-20260  
20340-20340  
20420-20420  
20500-20500  
20580-20580  
20660-20660  
20740-20740  
20820-20820  
20900-20900  
20980-20980  
21060-21060  
21140-21140  
21220-21220  
21300-21300  
21380-21380  
21460-21460  
21540-21540  
21620-21620  
21700-21700  
21780-21780  
21860-21860  
21940-21940  
22020-22020  
22100-22100  
22180-22180  
22260-22260  
22340-22340  
22420-22420  
22500-22500  
22580-22580  
22660-22660  
22740-22740  
22820-22820  
22900-22900  
22980-22980  
23060-23060  
23140-23140  
23220-23220  
23300-23300  
23380-23380  
23460-23460  
23540-23540  
23620-23620  
23700-23700  
23780-23780  
23860-23860  
23940-23940  
24020-24020  
24100-24100  
24180-24180  
24260-24260  
24340-24340  
24420-24420  
24500-24500  
24580-24580  
24660-24660  
24740-24740  
24820-24820  
24900-24900  
24980-24980  
25060-25060  
25140-25140  
25220-25220  
25300-25300  
25380-25380  
25460-25460  
25540-25540  
25620-25620  
25700-25700  
25780-25780  
25860-25860  
25940-25940  
26020-26020  
26100-26100  
26180-26180  
26260-26260  
26340-26340  
26420-26420  
26500-26500  
26580-26580  
26660-26660  
26740-26740  
26820-26820  
26900-26900  
26980-26980  
27060-27060  
27140-27140  
27220-27220  
27300-27300  
27380-27380  
27460-27460  
27540-27540  
27620-27620  
27700-27700  
27780-27780  
27860-27860  
27940-27940  
28020-28020  
28100-28100  
28180-28180  
28260-28260  
28340-28340  
28420-28420  
28500-28500  
28580-28580  
28660-28660  
28740-28740  
28820-28820  
28900-28900  
28980-28980  
29060-29060  
29140-29140  
29220-29220  
29300-29300  
29380-29380  
29460-29460  
29540-29540  
29620-29620  
29700-29700  
29780-29780  
29860-29860  
29940-29940  
30020-30020  
30100-30100  
30180-30180  
30260-30260  
30340-30340  
30420-30420  
30500-30500  
30580-30580  
30660-30660  
30740-30740  
30820-30820  
30900-30900  
30980-30980  
31060-31060  
31140-31140  
31220-31220  
31300-31300  
31380-31380  
31460-31460  
31540-31540  
31620-31620  
31700-31700  
31780-31780  
31860-31860  
31940-31940  
32020-32020  
32100-32100  
32180-32180  
32260-32260  
32340-32340  
32420-32420  
32500-32500  
32580-32580  
32660-32660  
32740-32740  
32820-32820  
32900-32900  
32980-32980  
33060-33060  
33140-33140  
33220-33220  
33300-33300  
33380-33380  
33460-33460  
33540-33540  
33620-33620  
33700-33700  
33780-33780  
33860-33860  
33940-33940  
34020-34020  
34100-34100  
34180-34180  
34260-34260  
34340-34340  
34420-34420  
34500-34500  
34580-34580  
34660-34660  
34740-34740  
34820-34820  
34900-34900  
34980-34980  
35060-35060  
35140-35140  
35220-35220  
35300-35300  
35380-35380  
35460-35460  
35540-35540  
35620-35620  
35700-35700  
35780-35780  
35860-35860  
35940-35940  
36020-36020  
36100-36100  
36180-36180  
36260-36260  
36340-36340  
36420-36420  
36500-36500  
36580-36580  
36660-36660  
36740-36740  
36820-36820  
36900-36900  
36980-36980  
37060-37060  
37140-37140  
37220-37220  
37300-37300  
37380-37380  
37460-37460  
37540-37540  
37620-37620  
37700-37700  
37780-37780  
37860-37860  
37940-37940  
38020-38020  
38100-38100  
38180-38180  
38260-38260  
38340-38340  
38420-38420  
38500-38500  
38580-38580  
38660-38660  
38740-38740  
38820-38820  
38900-38900  
38980-38980  
39060-39060  
39140-39140  
39220-39220  
39300-39300  
39380-39380  
39460-39460  
39540-39540  
39620-39620  
39700-39700  
39780-39780  
39860-39860  
39940-39940  
40020-40020  
40100-40100  
40180-40180  
40260-40260  
40340-40340  
40420-40420  
40500-40500  
40580-40580  
40660-40660  
40740-40740  
40820-40820  
40900-40900  
40980-40980  
41060-41060  
41140-41140  
41220-41220  
41300-41300  
41380-41380  
41460-41460  
41540-41540  
41620-41620  
41700-41700  
41780-41780  
41860-41860  
41940-41940  
42020-42020  
42100-42100  
42180-42180  
42260-42260  
42340-42340  
42420-42420  
42500-42500  
42580-42580  
42660-42660  
42740-42740  
42820-42820  
42900-42900  
42980-42980  
43060-43060  
43140-43140  
43220-43220  
43300-43300  
43380-43380  
43460-43460  
43540-43540  
43620-43620  
43700-43700  
43780-43780  
43860-43860  
43940-43940  
44020-44020  
44100-44100  
44180-44180  
44260-44260  
44340-44340  
44420-44420  
44500-44500  
44580-44580  
44660-44660  
44740-44740  
44820-44820  
44900-44900  
44980-44980  
45060-45060  
45140-45140  
45220-45220  
45300-45300  
45380-45380  
45460-45460  
45540-45540  
45620-45620  
45700-45700  
45780-45780  
45860-45860  
45940-45940  
46020-46020  
46100-46100  
46180-46180  
46260-46260  
46340-46340  
46420-46420  
46500-46500  
46580-46580  
46660-46660  
46740-46740  
46820-46820  
46900-46900  
46980-46980  
47060-47060  
47140-47140  
47220-47220  
47300-47300  
47380-47380  
47460-47460  
47540-47540  
47620-47620  
47700-47700  
47780-47780  
47860-47860  
47940-47940  
48020-48020  
48100-48100  
48180-48180  
48260-48260  
48340-48340  
48420-48420  
48500-48500  
48580-48580  
48660-48660  
48740-48740  
48820-48820  
48900-48900  
48980-48980  
49060-49060  
49140-49140  
49220-49220  
49300-49300  
49380-49380  
49460-49460  
49540-49540  
49620-49620  
49700-49700  
49780-49780  
49860-49860  
49940-49940  
50020-50020  
50100-50100  
50180-50180  
50260-50260  
50340-50340  
50420-50420  
50500-50500  
50580-50580  
50660-50660  
50740-50740  
50820-50820  
50900-50900  
50980-50980  
51060-51060  
51140-51140  
51220-51220  
51300-51300  
51380-51380  
51460-51460  
51540-51540  
51620-51620  
51700-51700  
51780-51780  
51860-51860  
51940-51940  
52020-52020  
52100-52100  
52180-52180  
52260-52260  
52340-52340  
52420-52420  
52500-52500  
52580-52580  
52660-52660  
52740-52740  
52820-52820  
52900-52900  
52980-52980  
53060-53060  
53140-53140  
53220-53220  
53300-53300  
53380-53380  
53460-53460  
53540-53540  
53620-53620  
53700-53700  
53780-53780  
53860-53860  
53940-53940  
54020-54020  
54100-54100  
54180-54180  
54260-54260  
54340-54340  
54420-54420  
54500-54500  
54580-54580  
54660-54660  
54740-54740  
54820-54820  
54900-54900  
54980-54980  
55060-55060  
55140-55140  
55220-55220  
55300-55300  
55380-55380  
55460-55460  
55540-55540  
55620-55620  
55700-55700  
55780-55780  
55860-55860  
55940-55940  
56020-56020  
56100-56100  
56180-56180  
56260-56260  
56340-56340  
56420-56420  
56500-56500  
56580-56580  
56660-56660  
56740-56740  
56820-56820  
56900-56900  
56980-56980  
57060-57060  
57140-57140  
57220-57220  
57300-57300  
57380-57380  
57460-57460  
57540-57540  
57620-57620  
57700-57700  
57780-57780  
57860-57860  
57940-57940  
58020-58020  
58100-58100  
58180-58180  
58260-58260  
58340-58340  
58420-58420  
58500-58500  
58580-58580  
58660-58660  
58740-58740  
58820-58820  
58900-58900  
58980-58980  
59060-59060  
59140-59140  
59220-59220  
59300-59300  
59380-59380  
59460-59460  
59540-59540  
59620-59620  
59700-59700  
59780-59780  
59860-59860  
59940-59940  
60020-60020  
60100-60100  
60180-60180  
60260-60260  
60340-60340  
60420-60420  
60500-60500  
60580-60580  
60660-60660  
60740-60740  
60820-60820  
60900-60900  
60980-60980  
61060-61060  
61140-61140  
61220-61220  
61300-61300  
61380-61380  
61460-61460  
61540-61540  
61620-61620  
61700-61700  
61780-61780  
61860-61860  
61940-61940  
62020-62020  
62100-62100  
62180-62180  
62260-62260  
62340-62340  
62420-62420  
62500-62500  
62580-62580  
62660-62660  
62740-62740  
62820-62820  
62900-62900  
62980-62980  
63060-63060  
63140-63140  
63220-63220  
63300-63300  
63380-63380  
63460-63460  
63540-63540  
63620-63620  
63700-63700  
63780-63780  
63860-63860  
63940-63940  
64020-64020  
64100-64100  
64180-64180  
64260-64260  
64340-64340  
64420-64420  
64500-64500  
64580-64580  
64660-64660  
64740-64740  
64820-64820  
64900-64900  
64980-64980  
65060-65060  
65140-65140  
65220-65220  
65300-65300  
65380-65380  
65460-65460  
65540-65540  
65620-65620  
65700-65700  
65780-65780  
65860-65860  
65940-65940  
66020-66020  
66100-66100  
66180-66180  
66260-66260  
66340-66340  
66420-66420  
66500-66500  
66580-66580  
66660-66660  
66740-66740  
66820-66820  
66900-66900  
66980-66980  
67060-67060  
67140-67140  
67220-67220  
67300-67300  
67380-67380  
67460-67460  
67540-67540  
67620-67620  
67700-67700  
67780-67780  
67860-67860  
67940-67940  
68020-68020  
68100-68100  
68180-68180  
68260-68260  
68340-68340  
68420-68420  
68500-68500  
68580-68580  
68660-68660  
68740-68740  
68820-68820  
68900-68900  
68980-68980  
69060-69060  
69140-69140  
69220-69220  
69300-69300  
69380-69380  
69460-69460  
69540-69540  
69620-69620  
69700-69700  
69780-69780  
69860-69860  
69940-69940  
70020-70020  
70100-70100  
70180-70180  
70260-70260  
70340-70340  
70420-70420  
70500-70500  
70580-70580  
70660-70660  
70740-70740  
70820-70820  
70900-70900  
70980-70980  
71060-71060  
71140-71140  
71220-71220  
71300-71300  
71380-71380  
71460-71460  
71540-71540  
71620-71620  
71700-71700  
71780-71780  
71860-71860  
71940-71940  
72020-72020  
72100-72100  
72180-72180  
72260-72260  
72340-72340  
72420-72420  
72500-72500  
72580-72580  
72660-72660  
72740-72740  
72820-72820  
72900-7290

occur either prior to flaking or after flaking, after which only a minimal heating application at relatively low toasting temperatures need be used. Larger sized inclusions can be incorporated after flaking but before agglomeration prior to toasting. Alternately, the toasted biscuit may be enrobed for example with a chocolate or other couverture or the biscuits may be formed into a sandwich with a cream filling in between as for bakery biscuits or cookies. Even if the biscuits are made without any additions except water, the final waxy barley biscuit develops a warm golden colour. By contrast commercial non-waxy wheat biscuits are a grey brown colour even when sugar and malt have been added.

10

### *Efficiencies of Processing*

Table 1. compares the minimum cooking parameters which are required to produce several grain biscuit types. Even after 50 minutes of cooking at 125°C, the non-waxy barley product was more dense, more fragile and had a raw starchy character when compared with the waxy barley product cooked for only 30 minutes. Also, the non-waxy barley biscuit was not as crisp and, as shown in Table 1, lost its crispness and became mushy more quickly than the waxy barley biscuit. Thus a significant energy saving is achieved as seen in a 40% reduction in cook time when waxy barley is compared with non-waxy barley. Additionally further efficiency derives from the increased capacity of cooking equipment by virtue of the shorter cook time per batch. A cook time of 30 minutes can reasonably be carried out using continuous cooking equipment whereas cook times of 50 minutes and more become uneconomical using continuous cooking equipment. The flavour of the non-waxy barley biscuit in Table 1 was not malty, slightly bitter and had a bland flavour. The organoleptic quality of the waxy barley biscuit was considered superior to the non-waxy barley biscuit.

30

TABLE 1.

PARAMETER	WAXY BARLEY	NON-WAXY BARLEY
Cook	30 min, 125°C	50 min, 125°C
Texture	crisp and tender	crisp but dense
Bowl Life*	8	5

\* Bowl life is the time (min) for BCB in cold milk to become mushy

#### *Bowl Life Analysis*

The "bowl life" of a breakfast cereal is defined here as the time it takes for a breakfast cereal to lose its substantially crisp texture when immersed in cold milk. The bowl life of the waxy barley biscuit product, was compared with a commercial wheat based breakfast biscuit product and with biscuits made from non-waxy barley by the method described in Example 1. A single breakfast biscuit of each type weighing 16 grams was submerged in cold milk (38 ml, 6-8°C) in identically sized bowls. Equal samples were taken at 1 minute intervals and tasted for texture. The results are given in Table 2. It was found that the texture of the waxy barley biscuit was quite different from the commercial wheat biscuit as seen in the considerably longer "bowl life" of the waxy barley biscuit. It is clear that the waxy character imparts a longer bowl life because the non-waxy barley biscuit product became softer more quickly. The end-point was when the product became "mushy". When non-waxy barley was used instead of waxy barley in the above example, significantly more energy input was required to achieve a crisp product. The texture of the non-waxy barley biscuit was different from waxy barley biscuits in that the non-waxy barley biscuit remained less tender even when the degree of cooking was extended.

#### *Bowl-Life*

The Bowl-Life End-point for the three biscuit types was:

waxy barley

8 minutes

non-waxy barley                      5 minutes  
commercial wheat                      3 minutes

TABLE 2.

MINUTES	BARLEY WAXY	WHEAT NON-WAXY	BARLEY NON-WAXY
0	crisp, crunchy	crisp	crunchy
1	crisp, crunchy	soft, crisp	soft, crunchy
2	soft, crunchy	soft	soft, crunchy
3	soft, crunchy	mushy	soft
4	soft, crunchy	mushy	soft
5	soft, crunchy	mushy	mushy
6	soft	mushy	mushy
7	soft	mushy	mushy
8	mushy	mushy	mushy

## EXAMPLE 4

A ready-to-eat corn (maize) biscuit cereal product was made from whole waxy corn grain.

10 The whole grain was steeped in water at 80°C to a moisture content of 33%. The hydrated grains were then cooked in live steam at 128°C for 48 minutes to achieve gelatinisation. The cooked whole grains were passed while hot through a roller mill with a gap width (between the rolls) of 1.4 mm and then dried at 70°C to 26% moisture content. These partly dried grains were then tempered at 24°C in a sealed container for

15 one hour and then rolled at a gap width of 0.12mm. This two step rolling regime aided in the efficiency of rolling large grains such as corn, and was also beneficial for producing fine whole flakes suitable for toasting into biscuits. However a single rolling operation using a gap of 0.12 mm is also possible. The flakes were packed into forms made from stainless steel mesh of the required dimension to give a suitable breakfast cereal shaped

20 biscuit (eg; 22 g grain / 15x75x51 mm mould). The formed corn was then toasted at

130°C for 13 minutes in a hot forced air toaster with air blown through the biscuit as in example 1, to achieve even heat distribution throughout the biscuit. The final moisture content was 2-3%. The resultant corn biscuits were pale golden yellow. The biscuits were tender and crisp with a distinctly toasted corn flavour. The average bowl life in cold milk was 5 minutes.

Alternately, the flaked corn was coated with a flavouring solution prior to agglomeration and toasting. This solution was as follows: brown sugar 25.8%; malt extract 8.6%; NaCl 1.1%; water 64.5%. The solution was heated to 60°C and sprayed onto the flaked corn as they were tumbled in a mixer at a rate of 20% of the flake weight. The coated flakes were packed into the toasting forms as described in example 1, and toasted at 130°C at maximum fan velocity for 13 minutes. The flavoured corn biscuits were a rich golden brown colour with attractive toasted flavours.

#### 15 EXAMPLE 5

Rice biscuits were made from whole grains of waxy brown rice. The waxy brown rice was hydrated to a moisture content of 18% with water. The hydrated grains were cooked in an autoclave in live steam at 125°C for 40 minutes after which the grains were gelatinised and remained separate. The cooked grains while still hot were passed through a roller mill at a gap width of 0.03-0.04 mm. The rolled grains were packed into metal forms for toasting (22 g rice/ 15x75x51 mm mould). The surface moisture spray enhanced the cohesiveness of the flakes in the final biscuit product. However, if no spray were applied, the flakes adhered together well and provided a final biscuit product with good cohesiveness. The formed grain was toasted at 130°C for 13 minutes. The resultant toasted biscuits were light brown in colour and the individual grain flakes were discernible. The texture of the biscuits were crisp and tender. The bowl life was 7 minutes.

**EXAMPLE 6**

A breakfast biscuit cereal was made from a mixture of waxy barley and rye grain by combining 90% dehulled waxy barley with 10% non-waxy rye grains. This mixture was hydrated at 24°C with a solution containing 22.5% sucrose, 5.5% NaCl and 72% water to a moisture content of 24%. The hydrated grains were then cooked in an autoclave in live steam at 125°C for 30 minutes. The gelatinised grains were integral and separate at this stage and they were then passed through a roller mill while still hot at a gap width of 0.03-0.04mm. The flaked grain was immediately packed into forms (22g grain / 10 15x75x51mm mould) and toasted at 130°C for 15 minutes in a forced hot air toaster. The final barley and rye biscuits had a moisture content of 2-3%. They were light and crisp and tender in texture and a light golden brown colour with an attractive mix of darker rye grains throughout. The bowl life in cold milk was 8 minutes.

- 15 It is to be clearly understood that the present invention has been described by way of example only and that modifications and/or alterations which would be obvious to a person skilled in the art, based upon the teaching herein, are also considered to be included within the scope and spirit of the invention as described herein and defined within the appended claims.

The claims defining the invention are as follows:

1. A breakfast cereal biscuit comprising grain wherein said grain includes waxy grain in an amount of at least 20% by weight of total grain content.
2. A breakfast cereal biscuit as claimed in claim 1 wherein the grain has been hydrated and cooked either sequentially or simultaneously or both, rolled into flakes, and either agglomerated and toasted into a desired biscuit shape, or toasted and agglomerated into a desired biscuit shape.
3. A breakfast cereal biscuit as claimed in either claim 1 or claim 2 which additionally comprises any one or more of other grain or grain products, nuts, fruits, fruit juice, nutritional supplements, flavours, colours, salt, sweeteners and/or stabilizers.
4. A breakfast cereal biscuit as claimed in any one of claims 1 to 3 wherein said waxy grain is selected from the group consisting of barley, corn, wheat, rice and sorghum.
5. A breakfast cereal biscuit as claimed in claim 4 wherein said waxy grain is barley.
6. A breakfast cereal biscuit as claimed in either claim 4 or claim 5 wherein said waxy grain comprises at least 50% by weight of total grain content.
7. A breakfast cereal biscuit as claimed in either claim 4 or claim 5 wherein said waxy grain comprises at least 90% by weight of total grain content.
8. A breakfast cereal biscuit as claimed in either claim 4 or claim 5 wherein said waxy grain comprises 100% by weight of total grain content.



9. A breakfast cereal biscuit as claimed in any one of claims 5 to 8 wherein said barley is hydrated to a moisture content of up to 30% w/w.
10. A breakfast cereal biscuit as claimed in claim 9 wherein said barley is hydrated to a moisture content from 24 to 29% w/w.
11. A breakfast cereal biscuit as claimed in claim 10 wherein said barley is hydrated to a moisture content of about 29% w/w.
12. A process for producing a breakfast cereal biscuit comprising the steps of
  - a) selecting grain which includes waxy grain in an amount of at least 20% by weight of total grain content;
  - b) hydrating and cooking said grain either sequentially or simultaneously or both;
  - c) rolling cooked grain into flakes; and either
  - d) agglomerating the flakes of step c) into a desired biscuit shape; and
  - e) toasting the product of step d); or
  - f) toasting the flakes of step c); and
  - g) agglomerating the product of step f) into a desired biscuit shape.
13. A process as claimed in claim 12 including the additional step of adding one or more of other grain or grain products, nuts, fruits, fruit juice, nutritional supplements, flavours, colours, salt, sweeteners and/or stabilizers.
14. A process as claimed in either claim 12 or claim 13 wherein said waxy grain is selected from barley, corn, wheat, rice and/or sorghum.
15. A process as claimed in claim 14 wherein said waxy grain is barley.
16. A process as claimed in either claim 14 or claim 15 wherein said waxy grain comprises at least 75% by weight of total grain content.

17. A process as claimed in either claim 14 or claim 15 wherein said waxy grain comprises at least 90% by weight of total grain content.
18. A process as claimed in either claim 14 or claim 15 wherein said waxy grain comprises 100% by weight of total grain content.
19. A process as claimed in any one of claims 15 to 18 wherein said barley is hydrated to a moisture content of up to 30% w/w.
20. A process as claimed in claim 19 wherein said barley is hydrated to a moisture content from 24 to 29% w/w.
21. A process as claimed in claim 20 wherein said barley is hydrated to a moisture content of about 29% w/w.
22. A breakfast cereal biscuit prepared by a process of any one of claims 12 to 21.
23. A breakfast cereal biscuit and a process for its production substantially as hereinbefore described with reference to the examples (excluding the comparative examples).




Fig. 1

Docket No.

14621

# Declaration and Power of Attorney For Patent Application

## English Language Declaration

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

**BREAKFAST CEREAL BISCUIT COMPRISING WAXY GRAN**

the specification of which

(check one)

☐ is attached hereto.

☒ was filed on November 17, 1999 ✓ as United States Application No. or PCT International Application Number PCT/AU99/01016 ✓ and was amended on \_\_\_\_\_

(if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119(a)-(d) or Section 365(b) of any foreign application(s) for patent or inventor's certificate, or Section 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate or PCT International application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application(s)

Priority Not Claimed

<u>PP 7162</u> ✓ (Number)	<u>Australia</u> ✓ (Country)	<u>17/November/1998</u> ✓ (Day/Month/Year Filed)	<input type="checkbox"/>
_____ (Number)	_____ (Country)	_____ (Day/Month/Year Filed)	<input type="checkbox"/>
_____ (Number)	_____ (Country)	_____ (Day/Month/Year Filed)	<input type="checkbox"/>

I hereby claim the benefit under 35 U.S.C. Section 119(e) of any United States provisional

\_\_\_\_\_  
(Application Serial No.)

\_\_\_\_\_  
(Filing Date)

\_\_\_\_\_  
(Application Serial No.)

\_\_\_\_\_  
(Filing Date)

\_\_\_\_\_  
(Application Serial No.)

\_\_\_\_\_  
(Filing Date)

I hereby claim the benefit under 35 U. S. C. Section 120 of any United States application(s), or Section 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. Section 112, I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, C. F. R., Section 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application:

\_\_\_\_\_  
(Application Serial No.)

\_\_\_\_\_  
(Filing Date)

\_\_\_\_\_  
(Status)  
(patented, pending, abandoned)

\_\_\_\_\_  
(Application Serial No.)

\_\_\_\_\_  
(Filing Date)

\_\_\_\_\_  
(Status)  
(patented, pending, abandoned)

\_\_\_\_\_  
(Application Serial No.)

\_\_\_\_\_  
(Filing Date)

\_\_\_\_\_  
(Status)  
(patented, pending, abandoned)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. (list name and registration number)

Richard L. Catania, Reg. No. 32,608;

Kenneth L. King, Reg. No. 24,223;

Mark J. Cohen, Reg. No. 32,211;

Leopold Presser, Reg. No. 19,827;

Frank S. DiGiglio, Reg. No. 31,346;

William C. Roch, Reg. No. 24,972;

Paul J. Esatto, Jr., Reg. No. 30,749;

John S. Sensny, Reg. No. 28,757;

Edward W. Grolz, Reg. No. 33,705;

Send Correspondence to:

SCULLY, SCOTT, MURPHY & PRESSER

400 Garden City Plaza

Garden City, New York 11530

Direct Telephone Calls to: (name and telephone number)

Edward W. Grolz (516) 742-4343

Full name of sole or first inventor

Deborah Ann Lewis

Sole or first inventor's signature

Date

25/7/01

Residence

19A Boundary Street, Rushcutters Bay, NSW 2011, Australia AUX

Citizenship

Australian ✓

Post Office Address

same as above

Full name of second inventor, if any

David Adrian Lewis

Second inventor's signature

Date

25 July 2001

Residence

19A Boundary Street, Rushcutters Bay, NSW 2011, Australia AUX

Citizenship

Australian ✓

Post Office Address

same as above

Full name of third inventor, if any

**Victor Marcus Lewis**

31 July 2007

Third inventor's signature

Date

Residence

**19A Boundary Street, Rushcutters Bay, NSW 2011, Australia Aux.**

Citizenship

**Australian** ✓

Post Office Address

**same as above**

Full name of fourth inventor, if any

Fourth inventor's signature

Date

Residence

Citizenship

Post Office Address

Full name of fifth inventor, if any

Fifth inventor's signature

Date

Residence

Citizenship

Post Office Address

Full name of sixth inventor, if any

Sixth inventor's signature

Date

Residence

Citizenship

Post Office Address